


PIPES


2023-24

FLUTED PIPE




SEC.NO.	ØOD	ØID	WT.Kg/mtr.
1509	18.00	-	0.088
1510	17.00	15.20	0.091
1511	18.00	16.20	0.097
1512	18.00	16.80	0.092
1513	18.00	-	0.117
1514	24.00	22.30	0.124
1515	24.00	22.20	0.134
1516	24.00	21.90	0.162
1517	24.00	21.70	0.183
1518	24.00	21.60	0.189
1520	24.00	21.00	0.252
1521	24.00	-	0.116
1523	25.40	21.04	0.376
1524	25.40	21.12	0.346
1527	25.40	19.80	0.446
1528	18.00	-	0.226
1530	38.00	30.00	1.039
1583	19.00	16.60	0.199
1541	50.00	46.00	0.712
1542	50.00	46.00	0.687

FLUTED PIPE



SEC.NO.	ØOD	ØID	WT.Kg/mtr.
1529	25.00	21.00	0.315




SEC.NO.	ØOD	ØID	WT.Kg/mtr.
1726	27.00	20.00	0.644

PIPES


2023-24

ROUND PIPE



SEC.NO.	ØA	T	WT.Kg/mtr.
1602	7.75	1.00	0.057
1603	8.00	1.00	0.059
1604	8.10	1.10	0.071
1606	8.00	1.27	0.072
1607	7.80	1.00	0.057
1608	7.80	1.40	0.075
1609	8.00	1.00	0.059
1610	14.80	1.00	0.177
1611	12.70	1.50	0.142
1612	24.80	7.90	1.132
1613	22.00	6.00	0.814
1616	12.70	1.60	0.150
1618	21.00	2.00	0.322
1619	40.00	5.00	1.484
1620	32.50	5.25	1.213
1621	15.80	2.00	0.234
1622	16.00	1.60	0.195
1623	17.55	0.55	0.079
1624	17.00	0.90	0.122
1625	40.00	2.40	0.765
1626	33.40	3.70	0.932
1629	19.00	0.80	0.124
1630	19.00	1.00	0.152
1631	19.00	1.40	0.208
1633	35.00	3.50	0.935
1634	19.50	0.90	0.125
1635	24.00	3.50	0.608
1636	28.00	4.00	0.814
1638	35.00	4.50	1.164
1640	19.00	3.65	0.475
1641	36.00	5.00	1.314
1643	38.00	2.70	0.808
1644	37.00	4.50	1.240
1645	22.00	0.90	0.161
1646	22.20	1.60	0.280
1648	24.50	1.00	0.199
1649	27.00	3.20	0.646

ROUND PIPE




SEC.NO.	ØA	T	WT.Kg/mtr.
1650	40.00	3.15	0.984
1651	46.00	5.00	1.738
1652	28.80	3.00	0.657
1653	26.70	3.50	0.688
1655	25.00	1.50	0.298
1657	25.40	2.00	0.397
1659	60.00	2.00	0.983
1661	51.00	1.80	0.751
1662	28.00	1.50	0.337
1664	37.50	2.00	0.602
1665	38.10	0.88	0.280
1666	32.00	2.50	0.625
1667	38.10	0.80	0.253
1668	31.75	3.18	0.771
1669	70.50	3.50	1.989
1670	34.00	3.00	0.789
1671	38.00	3.00	0.890
1672	42.00	2.00	0.678
1674	46.50	8.00	2.612
1677	32.00	7.50	1.558
1678	45.00	3.00	1.068
1679	50.00	3.00	1.196
1680	50.00	5.00	1.908
1681	50.80	3.18	1.284
1682	32.60	4.75	1.504
1683	60.00	3.00	1.470
1685	70.00	1.05	0.614
1687	70.00	10.0	5.089
1688	48.50	3.50	1.336
1689	58.50	7.00	3.058
1690	70.00	6.00	3.257
1691	65.00	8.75	4.175
1692	60.30	5.53	2.567
1693	73.50	7.75	4.322
1694	75.00	2.00	1.238
1696	75.00	5.00	2.968
1697	76.00	1.05	0.667

PIPES


2023-24

ROUND PIPE



SEC.NO.	ØA	T	WT.Kg/mtr.
1701	76.20	1.27	0.807
1705	89.00	6.35	4.451
1708	100.00	4.00	3.257
1709	40.30	14.90	3.210
1711	88.90	5.49	3.884
1712	73.03	5.16	2.970
1713	60.32	3.91	1.870
1715	80.00	4.00	2.578
1717	100.00	3.00	2.468
1719	75.00	2.60	1.596
1721	70.00	4.00	2.239
1724	125.00	2.00	2.087
1725	127.00	3.50	3.666
1730	89.00	10.00	6.701
1731	63.00	6.00	1.527
1732	76.00	6.35	3.751
1737	52.00	2.50	1.049
1741	38.00	7.50	1.940
1742	48.00	8.50	2.847
1743	54.00	10.00	3.732
1744	18.00	1.40	0.197
1745	96.50	5.00	3.880
5950	60.00	5.00	2.333
91699	38.00	1.35	0.419
91601	42.00	1.45	0.498
91602	43.00	1.70	0.595
91603	50.00	1.50	0.617
91604	50.00	2.00	0.814
91605	50.00	2.50	1.007
91606	73.61	4.91	2.861
91607	60.45	4.76	2.248
91608	50.47	4.76	1.845
91609	32.25	6.43	1.408
91610	32.25	3.39	0.829
91611	6.00	0.80	0.040
91612	63.00	3.00	1.540
91613	30.50	8.00	1.540
91614	50.00	2.00	0.820


ROUND PIPE



SEC.NO.	ØA	T	WT.Kg/mtr.
91615	33.80	1.45	0.400
91616	38.10	1.60	0.500
91617	38.10	1.35	0.430
91618	42.00	1.45	0.500
91619	43.00	1.70	0.600
91620	50.00	1.60	0.660
91621	31.50	1.20	0.311
91622	28.50	1.20	0.280
91623	50.00	8.00	2.880
91624	50.00	11.0	3.680
91625	101.0	3.00	2.520
91626	63.00	3.18	1.630
91627	101.6	5.74	4.720
91628	114.2	2.20	2.110
91629	50.00	4.00	1.580
91630	58.00	4.00	1.850
91631	42.00	3.00	1.000
91632	70.00	5.00	2.790
91633	35.00	2.50	0.700
91634	70.00	4.50	2.530
91635	80.00	5.00	3.220
91636	32.00	3.50	0.860
91637	60.33	3.90	1.890
91638	101.6	8.00	6.420


PIPES

SQUARE PIPE




SEC.NO.	A	T	WT.Kg/mtr.
1803	12.00	1.00	0.118
1804	12.40	1.20	0.145
1805	12.00	1.20	0.140
1806	12.60	1.20	0.148
1807	20.00	1.50	0.299
1815	17.00	0.50	0.089
1816	17.00	0.60	0.106
1817	19.00	1.00	0.194
1818	18.00	0.58	0.109
1826	19.00	0.85	0.167
1827	19.00	2.00	0.367
1830	19.05	1.15	0.222
1831	19.05	3.18	0.544
1833	19.00	1.60	0.300
1835	20.00	1.00	0.205
1841	22.00	0.55	0.127
1842	22.50	0.60	0.141
1843	22.50	0.65	0.153
1845	23.50	0.68	0.167
1846	23.50	0.74	0.181
1849	24.00	0.78	0.195
1850	24.00	0.82	0.205
1852	25.00	2.00	0.496
1853	25.40	0.95	0.250
1854	25.40	1.00	0.264
1855	25.40	3.18	0.762
1856	76.00	3.00	2.365
1857	25.40	1.59	0.410
1858	66.00	3.00	2.041
1866	30.00	2.00	0.605
1867	31.75	0.75	0.251
1868	31.75	0.85	0.284
1869	31.75	0.92	0.306
1871	31.75	2.00	0.643
1872	34.00	1.00	0.356
1873	36.00	0.90	0.341

SQUARE PIPE



SEC.NO.	A	T	WT.Kg/mtr.
1876	38.00	0.90	0.399
1879	38.10	1.40	0.554
1880	38.10	2.00	0.780
1881	38.00	2.40	0.922
1882	38.10	3.18	1.197
1883	38.10	4.00	1.473
1884	40.00	2.40	0.974
1885	48.00	1.25	0.631
1886	44.45	3.18	1.416
1887	40.00	4.00	1.555
1888	50.00	1.20	0.632
1889	50.00	1.50	0.785
1891	50.00	1.90	0.987
1892	50.00	2.10	1.086
1893	50.00	3.00	1.522
1894	50.80	3.18	1.633
1895	62.00	4.00	2.505
1896	63.00	1.50	0.996
1898	76.00	1.50	1.206
1899	76.00	4.00	3.110
91818	18.00	0.46	0.090
91819	50.00	2.50	XXX

SQUARE TUBE WITH CORNER RADIUS




SEC.NO.	A	T	R	WT.Kg/mtr.
3400	25.40	3.175	3.175	0.739
3401	50.80	4.775	4.775	2.320

PIPES


2023-24

RECTANGLE PIPE



SEC.NO.	A	B	T	WT.Kg/mtr.
1900	100.00	50.00	2.00	1.577
1901	50.80	25.40	2.50	0.961
1903	33.00	8.00	1.50	0.307
1904	31.00	20.00	2.50	0.621
1905	29.00	26.00	2.00	0.550
1906	29.00	19.00	2.00	0.475
1909	50.00	25.00	1.20	0.470
1910	37.00	24.00	0.60	0.193
1911	37.00	24.00	0.65	0.209
1912	37.00	24.00	0.77	0.248
1915	37.00	24.00	1.60	0.500
1916	37.00	24.00	1.80	0.557
1917	40.00	20.00	1.15	0.357
1918	35.00	20.50	1.50	0.425
1919	38.00	25.00	2.40	0.754
1922	48.00	24.00	0.80	0.304
1923	48.00	24.00	0.90	0.341
1924	48.00	24.00	1.00	0.378
1925	48.00	24.00	1.40	0.523
1926	50.80	25.40	3.00	1.137
1927	62.00	36.00	0.65	0.339
1928	50.80	25.40	3.00	1.137
1929	50.80	25.40	1.40	0.554
1930	50.80	25.40	2.00	0.779
1931	62.00	36.00	0.80	0.416
1932	62.00	36.00	0.85	0.442
1933	50.80	25.40	2.50	0.961
1934	63.50	38.10	1.05	0.564
1935	63.50	38.10	1.15	0.616
1936	63.50	38.10	1.22	0.654
1937	50.80	25.40	3.18	1.199
1938	63.50	38.10	1.45	0.773
1939	38.10	25.40	3.18	0.980
1940	45.00	25.00	5.00	1.620
1941	63.50	38.10	2.00	1.054
1942	63.50	38.10	1.60	0.850
1943	50.00	20.00	2.00	0.713
1944	63.50	38.10	2.50	1.304

RECTANGLE PIPE




SEC.NO.	A	B	T	WT.Kg/mtr.
1945	63.50	38.10	3.05	1.572
1946	63.00	24.00	0.80	0.368
1947	63.50	31.75	6.35	2.831
1948	72.00	24.00	0.80	0.407
1949	40.00	20.00	3.00	0.875
1950	40.00	20.00	2.50	0.743
1951	74.00	24.00	1.80	0.917
1952	44.60	40.00	1.50	0.661
1953	63.50	38.10	0.67	0.362
1954	45.00	30.00	2.00	0.766
1955	50.00	38.00	1.20	0.555
1957	75.00	25.00	2.50	1.283
1958	75.00	45.00	5.00	2.970
1959	75.00	35.00	2.00	1.144
1960	76.20	25.40	3.18	1.633
1961	76.20	38.10	3.18	1.852
1962	81.00	37.00	1.50	0.930
1964	81.00	37.00	2.00	1.231
1965	78.00	38.00	0.90	0.555
1966	81.00	37.00	2.80	1.699
1967	125.0	38.00	1.80	1.550
1968	80.00	50.00	2.00	1.360
1970	93.00	24.00	0.90	0.560
1971	100.0	20.00	2.00	1.253
1972	100.0	24.00	0.95	0.626
1973	100.0	25.00	1.50	0.988
1974	100.0	24.00	2.00	1.296
1978	100.0	24.00	1.35	0.884
1979	50.80	25.40	1.30	0.516
1980	50.80	25.40	1.20	0.478
1982	51.00	34.00	3.00	1.279
1983	51.00	40.00	3.00	1.376
1984	40.00	20.00	1.50	0.462
1985	100.0	40.00	0.90	0.672
1986	100.0	40.00	1.50	1.109
1987	100.0	50.00	1.20	0.956
1988	101.6	44.45	1.35	1.045

PIPES


2023-24

RECTANGLE PIPE



SEC.NO.	A	B	T	WT.Kg/mtr.
1989	100.0	50.00	3.00	2.332
1991	101.6	44.45	2.00	1.534
1993	101.6	44.45	2.70	2.050
1994	101.6	44.45	3.00	2.268
1995	101.6	44.45	3.18	2.398
1996	124.0	24.00	1.05	0.827
1997	120.0	53.00	3.00	2.705
1998	125.0	45.00	3.18	2.810
6901	35.00	20.00	2.00	0.551
6903	50.00	15.00	2.00	0.659
6905	100.0	50.00	1.50	1.191
6907	79.45	55.50	2.50	1.754
6910	50.80	25.40	1.60	0.630
6912	40.00	15.00	2.00	0.550
6914	75.00	35.00	1.50	0.866
6915	124.0	24.00	1.30	1.020
6918	50.10	25.10	0.95	0.376
6919	91.00	43.00	1.50	1.061
6921	50.00	25.50	3.00	1.125
96922	48.00	24.00	0.65	0.250
96923	50.00	25.00	0.90	0.360
96925	38.00	25.00	0.50	0.170
96927	100.0	50.00	2.40	1.900
96928	63.50	38.10	1.70	0.910
96929	25.00	18.00	1.50	0.330
96930	150.0	75.00	2.00	2.410

RECTANGLE PIPE (ROUNDED CORNERS)



SEC.NO.	A	B	T	R	WT.Kg/mtr.
1975	33.00	20.00	1.20	2.50	0.317
1976	49.50	20.00	1.20	2.50	0.424
1977	50.00	20.00	2.20	2.00	0.779
96926	85.20	81.50	1.60	10.0	1.359